


PROPRIETARY RIGHTS ARE CLAIMED FOR THE MATERIAL DISCLOSED IN THIS DRAWING.


TYP. WALL THICKNESS = 1.8

LTR.	REVISIONS	DATE
➤	*****	00-00-98




SECTION A-A


SEAL NO. 1 SHOWN



SEAL OPTIONS
SEAL THICKNESS = .8




NO. 1
Wire Gages
18 - 10



NO. 2
Cable Gages
8 - 2



NO. 3
Cable Gages
2 - 2/0



TOLERANCE UNLESS OTHERWISE SPECIFIED: ±.030"/±.8mm
RADIAL DIAMETERS TO BE MEASURED OVER MANDRELS,
RING GAGES OR PIN GAGES OF SUITABLE SIZE

Material:	RED PVC
Material Part No	9812-65-RED683
Max. Operating Temp:	105 C
Shore Durometer:	*A* 10 SEC. 67/62
Specific Gravity:	1.34
Ult. Elongation %:	475
Brittle Temp:	-44 C
Tensile Strength PSI:	1547 PSI
Dielectric Strength, v./ml	540
U.L. Rating:	94 V2
MEETS:	FMVSS.302



REF:	DATE: 3-24-98	DRN BY: JC CHK'D BY:	WEIGHT: .022 LBS. / 9.75 G.
TITLE: TERMINAL INSULATOR CAP			
MATERIAL:		PART NO.	
COLOR:	DRG CLASS:		