




LTR.	REVISIONS	DATE	INT.
△	3842-003 WAS 3842	19MAY05	BRH
Ⓑ	ADDED OPTIONAL CONSTRUCTION NOTE	04APR06	BRH
Ⓒ	REMOVED OPTIONAL CONSTRUCTION NOTE	20OCT15	RAS



DO NOT
SCALE



Ⓑ Ⓒ

TOLERANCE UNLESS OTHERWISE SPECIFIED: ±.030"/±0.0mm.
RADIAL DIAMETERS TO BE MEASURED OVER MANDRELS,
RING GAGES OR PIN GAGES OF SUITABLE SIZE.

BASE MATERIAL: GLASS-REINFORCED NYLON
 BASE MATERIAL U.L. RATING: 94 HB
 DIELECTRIC STRENGTH: 630 VOLTS/MIL PER ASTM D149
 VOLTAGE RATING: 48 VDC MAX.
 CURRENT RATING: 165 AMPS @ 12 VDC
 TEMP. RISE AT LOAD: 52 DEG. F.
 MAXIMUM RECOMMENDED TORQUE: 60 IN./LBS.

REF:	DATE:	DRN BY:	BRH	WEIGHT:
***	09APR03	CHK'D BY:	BRH	***
TITLE: 1/4" SMALL JUNCTION STUD				SCALE:
MATERIAL:			PART NO.	
COLOR: RED	DRG CLASS: *****			